



# Advanced Safety Solutions

We take flooring safety seriously



Risk Assessments  
Anti slip treatments  
Deep Cleaning  
Anti Slip/Skid Coatings  
Stair Protection  
PVC Flooring  
Seamless Wall Coatings  
Industrial Anti Slip Tiles  
Superior Disinfection Systems  
Vast types of Anti Slip tapes

[advancedsafety.com.mt](http://advancedsafety.com.mt)



# Anti Slip Solutions

Advanced Safety Solutions Malta has been set up to combat the ever-growing problem of slip and fall accidents that are happening on a daily basis and that affects people both at home and at their place of work.

Also provide a one stop shop remedy for slip accidents that happen on a daily basis and that affect people both at home and at their place of work. We therefore offer a variety of products and services that can be used from pre design stage up to finished and to avoid unnecessary cost in retiling but that will enhance the co - efficient of surfaces to make sure such accidents will be eliminated.

In Malta as anywhere else many accidents happen when they are least expected making the need of a solution immediate and important. It is estimated that 15 percent of the accidents reported and treated at our local hospitals and clinics are due to slips and falls and in many cases, these result in broken bones and long term recovery. Needless to say this would reflect in lost man hours at work as well as discomfort and inconvenience at home.

In EU Member States they have been identified as the main causes of accidents that result in more than 3 days absence from work.

## Your legal duties -

### What do you know about them?

Legal Notice 44 of 2002 - The Work Place (Minimum Health and Safety Requirements) states that it is the duty of the owner/ employer to take all the necessary measures to ensure that all suitable measures are taken to render slip-proof any highly polished surfaces.

## Keeping Malta on its feet and Germ Free

- **RISK ASSESSMENTS** - To prevent lawsuits and liabilities and preventing slip accidents.
- **ANTI SLIP TREATMENTS** - Making any floor Anti Slip using a variety of chemicals which reduces downtime and cost of changing tiles.
- **DEEP CLEANING** - Deep cleaning of hard floor surfaces using environmentally friendly products and high pressure washing/scrubbing,
- **ANTI SLIP/ SKID COATINGS** - Coatings on Pavements, Wheelchair access, Garage Ramps, Loading Bays, Forklift Areas,
- **STAIR NOSING** - Stair protection and Safety in highly trafficked areas,
- **PVC FLOORING** - Safe, Ergonomic reduces, Sound insulation, Thermal Insulation, Easy to clean and low maintenance,
- **SEAMLESS WALL COATINGS,**
- **INDUSTRIAL KITCHEN TILES.**
- **SUPERIOR DISINFECTION SYSTEMS** - Anti Microbial Technology.

## The European Standard

The Health and Safety Executive (HSE) advises and recommends using floor surfaces that meet floor slip ratings (R ratings) for environments where shod feet are found and ABC ratings for wet floor conditions where bare feet are the norm (such as swimming pools). In general, a minimum of R11 is recommended on a horizontal surface but ideally R12 is used to counteract slippage possibilities. For slopes, it is recommended that R12 and R13 surfaces are used.



# Services we offer

Anti Slip Solutions offer the service of checking the slip ratings of any floor using a proven scientific machine. A report is issued after every test and this can be used for insurance purposes or as evidence that legal requirements are being met.


Should the surface be found to be inadequate, we also offer a range of products that can be applied to render the surface slip proof.

All our products and suppliers are European and they all have passed all rigorous testing to conform with EU standards and regulations. Every product has been accredited with its own certification.

As a one stop shop for everything in floor safety, we specialise in anti slip treatments, applications and installations, slip alert testing and professional floor cleaning services. We have also expanded into floor installation meaning we now have an option for every floor we are called to see.

Our small team gives you a high level of personal service meaning that throughout projects you have dedicated points of contact on hand for any queries and eventualities. We pride ourselves on our customer service and transparency.

Since our establishment in late 2016 we have grown rapidly and now work with some of the country's leading facilities management, operations and leisure companies, amongst others.





**ADVANCED SAFETY SOLUTIONS**

M: 356 99990247

[www.advancedsafety.com.mt](http://www.advancedsafety.com.mt)



## Floor Maintenance Programs and Deep Cleaning

A S Solutions offer expert help with cleaning, maintaining and restoring hard floors, ensuring that floors look good and remain compliant.

With effective cleaning and maintenance we aim to avoid unnecessary replacement of floors, helping to reduce overall costs and additional landfill.

A S Solutions work with commercial sites of all sizes offering one-off specialist 'deep-cleans' or a programme

of re-occurring floor maintenance, delivered by our skilled operations team.

### In House Training

We can also offer in-house training with the aim of developing a consistent cleaning programme that can be easily adopted by internal housekeepers and maintenance teams.



## Hard floor cleaning machines

Jet Blasting 500 Bar Water Pressure Washing



For deep cleaning of concrete or any floors that have a high concentration of dirt. Professional high pressure water blaster, designed and manufactured for use under the toughest conditions Cleaner surface lowering your risks.



# Safe Kleen

A highly dilutable Multi Purpose Cleaner with a unique combination of surface active agents.

Safe Kleen was originally developed as a pre-treatment and after care cleaning product for applications of Safe Grip Anti Slip Treatment. But due to the unique combination of surface active agents, sequestrants and alkaline builders the product has excellent cleaning abilities for the removal of dirt, grease, oil and grime making it a truly versatile multi purpose cleaner for virtually all types of surfaces and materials.

Effective at high dilutions, even up to 1 to 200 parts water, hot or cold, just 5 litres can make up to 1,000 litres of cleaning fluid.

Safe Kleen a multi purpose cleaner – not just for floors.

- Safe Kleen is used for pre-treatment and aftercare
- Safe Kleen reduces bacterial growth
- Safe Kleen has excellent cleaning abilities
- Safe Kleen is highly concentrated
- Safe Kleen is effective at high dilutions, even up to 1 to 200 parts water
- Correct and thorough cleaning is an essential part of floor maintenance. If a polished or tiled floor is kept clean it significantly reduces the risk of a slip accident but if a hazardous levels of dirt and contaminant accumulates on the surface it potentially increases the risk of a slip occurring.

## Application Information

Typical application information: Dilute in a pressure pump containing 8 to 10 litres of water as follows:-

- Light cleaning: 2 capfuls
- Medium cleaning: 3 capfuls
- Heavy cleaning: 4 capfuls
- Dilutions can be adjusted to suit individual cleaning requirements.

Safe Kleen can be used neat on oil and grease patches, allowing it to soak for 10 minutes; very stubborn stains may require more than one treatment. Rinse thoroughly after use and dry surface where appropriate.

**Caution: Do not use in direct sunlight or on hot surfaces**

Safe Kleen has been listed by the U.S. Environmental Protection Agency on the National Contingency Plan (NCP) Schedule as a surface washing agent for use in emergency spills\* for this listing Safe Kleen underwent extensive and stringent testing by E.P.A approved laboratories





# Risk Assessment

SlipAlert is the world's best slip tester, faster and better than traditional slip testing.

SlipAlert, the British Standard slip test, is user friendly and accurate and guaranteed to help reduce slip injuries in your business. Don't wait till someone slips and falls... contact SlipAlert today.

## Got a slippery floor?

If you are worried by slippery floors, slipping accidents or slip claims then you need SlipAlert. Contact Jenny for information.

## Safer floors

A step change in floor safety. SlipAlert is faster, easier and more versatile than traditional slip testing. SlipAlert measures slip risk, results correlate with Pendulum Test Values (PTV) and Coefficient of Friction (CoF). SlipAlert is guaranteed to accurately assess slip risks. You can reduce slipping accidents, slip injuries and slip claims. Buy SlipAlert!

## Slip Risk Changes

Wear, contamination and the effects of cleaning and maintenance can significantly alter the slip resistance of your floors. Even good quality anti-slip floors can change over time. Don't wait till someone falls to test your floors.

## Be Proactive

The only way to be proactive is to monitor slip risk regularly. Regular testing with SlipAlert can be done by

anyone on any floor. Proactive testing will tell you about the performance of your floor and about the effectiveness of cleaning and maintenance. Don't just buy safety flooring, buy safe floors by testing the slip risk before you buy. Maintain safer floors by monitoring cleaning and maintenance. Be proactive.

## SlipAlert and Safer Floors

SlipAlert is one of only two British Standard floor slip test machines and the only one designed for quick and easy monitoring. Stopping slips made easy.

## Designed to be easy and accurate

We design, manufacture and sell the world's most user friendly slip test machine. It is designed for ease of use so that anyone can conduct your slip testing. SlipAlert delivers management information about your floors, about cleaning about maintenance and about changes to slip risk. We make it easy for you to manage slip risk in your business.





**EMAC**  
THE FINAL TOUCH  
EMAC® GROUP | SPAIN | USA | ITALY |

# Stair Safety Solutions

Falls from stairs may lead to serious injuries or even death.

Employers, homeowners and businesses must take measures in their workplaces to protect employees or clients from slip, trip and fall hazards on any walking/working surface and employees have a responsibility to use stairways correctly, as intended.

We offer a range of solutions and safety stair nosings, including with a photoluminescence finish, for all types of stairs.

## Option 1

Aluminum Stair Nosing will prevent slip accidents however also protects the corners of the tiles from breaking or chipping off. These come in 2.5 meter length and can be cut to size and installed permanently.

## Option 2

For external stairs Crosscote will be more ideal than tape as it is more hardwearing and does not peel off or melt in the very hot climate we get in Malta and becomes a permanent solution for safety and looks.

## Option 3

Heskins Tapes come in a variety of colours and thicknesses and are available in any colour including transparent. This can be also ordered bespoke to cover the whole step rather than just the edges.





# Repair, protect and enhance existing structures

Crosscote is designed to repair, protect and enhance existing structures, has good wear-resistant properties, and provides excellent slip resistance. It can also be applied on almost any substrate.

A specially formulated, two component polymer based multipurpose coating system designed for application to a wide variety of common building substrates such as concrete, brickwork, asphalt, metal, etc as well as glass. Ideal for ramps, pavements, yards, walkways, wheelchair ramps and other concrete surfaces where anti-slip properties are necessary.

## Procedure:

Crosscote is extremely simple to apply. Apply by brush, roller, trowel or squeegee.

From the mixing vessel pour out a quantity of material that can be easily and uniformly spread using the selected tool over the appropriate area and finish to the desired texture before moving on to the next part of the mix. Repeat the mixing and application method until the selected area has been completed.

As soon as a coat has dried, between 1 and 24 hours according to climate conditions, it can be overcoated with the next coat.

Crosscote should not be applied where the air or background temperature is likely to fall below 7o C or

where there is a risk of rainfall on exposed applications prior to full curing being achieved.

## POT LIFE & CURING TIMES

The pot life of mixed Crosscote will vary according to climatic conditions but at an ambient temperature of 20o C will be in the region of 30 minutes; the curing time at this temperature generally between 1 to 6 hours.

## Preparation

All surfaces must be clean and free from loose materials. Areas contaminated by oil and grease should be thoroughly cleaned with an oil dispersant cleaner. Defects in existing surfaces must be made good, before applications.

Where evidence of organic growth, lichen, moss etc. is apparent, surfaces must be treated with a long term fungicidal/biocidal treatment which should be allowed to react and washed off thoroughly.

Careful attention should be given to areas on both horizontal and vertical surfaces such as cracks and joints where water penetration is possible. Rust etc. must be removed and treated with a suitable metal primer.



### Characteristics of Cross cote

- has excellent adhesive characteristics
- can be applied vertically or horizontally to many types of exposed structures
- is resistance to adverse environmental conditions and ultraviolet light
- can withstand normal structural movement without cracking.
- is micro-porous and therefore allows the substrate to breathe, releasing trapped water vapour.



The dual component consists of a glue that is mixed with a powder having a special aggregate to increase friction. This product is used in a number of countries and therefore can withstand a range of elements.

### Safety & Hygiene

Crosscote Liquid is a water based latex emulsion and is not considered harmful to the environment. Crosscote Powder contains cement and fine dust particles. Always wear protective clothing and equipment

In all cases spillages or skin contamination should be cleared as soon as possible by dry wiping the affected area and then thoroughly washing with soap and water.

Further safety information may be obtained from Material Safety Data Sheet Ref: MSDS – 01C.

### Shelf life and storage

Shelf life in opened containers is approximately 6 months subject to good conditions of storage. Store in a cool, dry, frost-free environment, sealing the containers for protection against water, oil and other spillages.





**HESKINS**

## Self-adhesive non-slip tapes

Heskins is a specialist manufacturer and supplier of a range of self-adhesive non-slip tapes. Our trademark is Safety-Grip™ anti-slip tape.

We import and supply and install many safety tapes including but not limited to abrasive and non-abrasive anti-slip tape, conformable, reflective tape, glow in the dark tape, DOT tape, non-slip fabric, marine anti-slip tape, PermaStripe, PermaRoute and more.

### The main product range is;


- Safety-Grip™ – The ever popular abrasive anti slip tape, suitable for a wide range of applications.
- Aqua-Safe, Resilient & all non-abrasive materials – The range of non-abrasive anti slip tapes is without equal. Perfect for bare foot, food preparation and areas where an abrasive material cannot be used.
- Conformable Safety-Grip™ – Applying onto Durbar plate and other irregular metal surfaces is easily solved.
- Bolt down plates – Immediately mechanically fixed down, perfect for previously impossible applications such as loose surfaces, stairs etc.
- Non slip fabric – An anti slip, non abrasive foam mesh material, that is easy to cut to shape.
- Photoluminescent (glow in the dark) – Heskins produce an imaginative range of glow in the dark anti slip tapes and marking materials.
- Reflective Tape - Easy application on to areas that need additional hazard marking.
- Corrosion Protection Tape - Helps prevent galvanic corrosion, increasing service life and reducing costs.
- PermaStripe® - The worlds most durable and effective aisle marking system.
- PermaRoute - The worlds only complete floor marking system.



Anti Slip Bolt Down Plates



Aqua Safe & Non-Abrasives



Glow in the Dark Tape



Safety Grip™



# PVC Flooring Solutions

An alternative to ceramic tiles, PVC floors have a variety of benefits when compared.

They can take weight without breaking, they insulate, they are ergonomic, sound insulating, chemically resistant, fire retardant, have good anti slip resistance and are easy to clean and maintain.


Today, more than ever, it's essential that businesses are environmentally aware and take measures to lower their carbon footprint, not just through their production process but also in the construction and fabric of their business premises.


Choosing the right flooring is one such way that businesses can lower their environmental impact. Large areas such as warehouses and factories need a flooring solution that's practical, long lasting and environmentally responsible.

PVC flooring is one of the safest, most durable and above all, sustainable floor choices.

## Why the use if PVC?

- Resistant to oils, fats and a variety of alkalis.
- Slip-resistant, chemical-resistant, liquid-tight.
- Forklift-proof, impact-resistant and shock-proof. Flame retardant.
- Quiet : Impact sound-absorbing effect.
- Sound Absorbing No more rattling when metal parts fall.
- Insulating : The material makes the floor warm to the feet.
- Ergonomic : The panels have a high degree of elasticity, which is gentle on the joints.
- liquid-tight
- Hygienic / easy to clean (complies with HACCP guidelines)
- Non-slip, even when wet
- Wear-resistant and robust, even with intensive use with trolleys, forklifts or trucks





## WALastic industrial flooring

The WALastic rabbit tiles are completely bonded and then cold welded and heat-sealed.

The flooring is entirely sealed. Seams can be colour-welded to indicate different areas.

### WALastic Rabbit Tiles:

- No downtime: Installation during on-going production.
- Refurbishment on all stable subfloors.
- No setting time: instantly load-resistant.
- Modular repairs easily done by replacing individual tiles.

### Your factory is not a living room?


- Resistant to oil, grease and a variety of leaches.
- Anti-slip effect, chemical-resistant, impervious to fluids.
- Forklift resistant, impact and shockproof. Flame-resistant.

### Stress due to noisy production processes?

- Quiet: footfall sound absorption. No clanging noises from falling metal objects.

### Cold feet when working in standing positions?

- Insulating: Via the material the floor is warm underfoot.
- Ergonomic: the tiles have a high elasticity that proves friendly on your joints.





## WALAstic eco clip\*

The allround flooring made from new PVC

WALA-Eco-clip tiles enable quick and easy DIY laying. Therefore they are ideally suited as re-usable flooring at trade fair booths or in rental objects.

A wide spectrum of colours allows highlighting of certain areas in different colourations. Orders in larger quantities can also be produced in your corporate colours.

Quickly installed: floor refurbishment made simple!

- Cost-effective refurbishment of unsightly floors.
- Heat insulating and sound-absorbing. Joint-friendly due to the high elasticity.
- Impervious to mopping water: easy care and hygienic.

For extreme wear and tear: Can be entirely glued and bonded, making the flooring completely waterproof.



\* The extremely robust WALA-Eco-clip tile measures 500 x 500 x 6 mm. It is made from fully dyed-through PVC.



## Interlocking floor tiles

A system of interlocking floor tiles which provide a quick, easy and sustainable solution in a wide variety of commercial flooring applications.

Ecotile is one of the leading commercial flooring specialists in Europe and are the proud creators of the World's Number One Interlocking Floor Tile. Our hard wearing tiles are tough enough to withstand the rigours of almost any industrial environment. They are flexible enough for zoning warehouses, factories and schools and even smart enough for shops and retail outlets.

- R10 slip rating
- Track record of significantly reducing the risk of slipping
- Quick and simple to install. No downtime.
- Ideal for use with fork trucks and heavy loads
- Extremely hard wearing
- Protects the existing floor from damage
- Can withstand temperatures below 0°C
- 10 year product warranty

Ecotile is a UK made industrial flooring solution that can be fitted without causing disruption to your business; a cost effective and low maintenance interlocking floor tile that can solve several flooring problems and business challenges.

Ecotile offer a one stop approach and can manufacture, supply and fit your floor tiles quickly and efficiently thanks to our incredibly short lead times, quick delivery and 5 star customer service.

Unlike epoxy resin, floor paint and traditional industrial flooring, our interlocking PVC tiles can be fitted extremely easily over any hard surface without the need for specialist tools, prior technical knowledge or adhesives.

Cracking, brittle and damaged resin flooring, paint delamination, dust, dirt and damp problems are all eliminated with this simple flooring solution.

Minimal preparation to the existing floor is required and there are no curing or drying times; just lay the tiles while your business continues to operate around the installation.

### Possible Applications

1. Schools & Colleges
2. Passenger Terminals
3. Shops & Offices
4. Exhibitions & Point of Sale
5. Domestic Garages
6. Utility Rooms
7. Sports Facilities
8. Light Industrial Units





## Flexible design flooring

Bergo Tiles are made from recyclable environmentally friendly PP-composite.

Installed floating on existing floors without any fasteners. A Bergo floor solves many problems thanks to the ventilating and flexible design and is particularly suitable for installations on damp surfaces, but also cracked / uneven subfloors and worn wooden decks.

The products are available in a wide range of designs and colours, harmoniously coordinated.





**ADVANCED SAFETY SOLUTIONS**

M: 356 99990247

[www.advancedsafety.com.mt](http://www.advancedsafety.com.mt)




## Anti Slip tiles

Casalgrande Padana has been producing advanced ceramic materials for over 50 years: innovative and environment-friendly solutions for the creation of coatings, floors and coatings capable of responding to any creative and technological requirement of the world of architecture and design.

In areas with a high risk of slipping, the installation of non-slip flooring realised with Granitogres Technic textured surfaces significantly reduces this risk.

Casalgrande Padana offers a variety of different textured surfaces to cater for all possible application conditions and requisites.


The tiles from the Amazonia collection are the ideal choice for floors both indoors and out. These stone-like tiles are anti-slip and come with a natural finish for interiors and 20 mm thickness for exteriors. They are an ideal choice for tiling terraces, patios, verandas, and turf or gravel walkways.






**Carbo R12**

Places where fish and meat are received and sold, industrial kitchens and similar, outdoors slopes, squares.



**Technic R10**

Indoor use (offices, homes, entrance foyers) with the exclusion of damp places.



**Profil R12 - V8 (A+B+C)**

Large-scale and industrial kitchens in general, floors where food products are prepared.



**Roccia R11 (A+B)**

Balconies, porticos, pavements, pool decks, floor surfaces affected by liquids in general.




**Pavé R11 - V4 (A+B+C)**

Porticos, pavements, swimming pool decks, floor surfaces affected by liquids in general.



**Safe R13 (A+B+C)**

Cutting, delicatessen, bread and pastry making, butcher's and fishmonger's departments and kitchens.



**Bugnato R11 - V6 (A+B+C)**

Swimming pool surrounds, places where food products are processed and similar.

# Anti Slip Tiles for commercial and industrial

Anti Slip Porcelain Tiles suitable for commercial and industrial kitchens and highly trafficked areas.


Granitogres Technic is ideal for industrial sectors, such as the pharmaceutical and foodstuffs industries, subject to particular stringent hygiene regulations. The total impermeability of the tile makes it practically unstainable, while bacteria and moulds are easily removable.

The porcelain stoneware tiles from the Technic collection are the ideal choice for floors and walls in high-traffic public and commercial spaces and industrial spaces subject to stringent hygiene rules, such as in the pharmaceutical and food sectors. Technic tiles are super hard-wearing. They don't fear acids (except for hydrofluoric acid), bases, corrosive agents, solvents, oils, cement, and chemicals in general. The different thicknesses available (11.2 mm, 12 mm, and 14 mm), allow Technic porcelain stoneware tiles to withstand intense static and dynamic loads, heavy footfall,



**Reticolo R12 - V4 (A+B+C)**

Large-scale and industrial kitchens in general, floors where food products are prepared.



**Secura R11 (A+B)**

Industrial environments in general and pool decks.

vibrations and impacts, humidity, frost, fire, abnormal temperature fluctuations, without alterations of any sort. Their structured anti-slip surface makes any floor safer, eliminating the risk of slipping.

## Anti-slip flooring

1. These surfaces are normally used in industrial or work environments and require a few extra measures for their maintenance.
2. For larger places, use a washer/drier to ensure perfect cleanliness and hygiene.
3. These floors can also be cleaned using a pressure washer.



## Floor Anti Slip Treatments

Safe Grip Anti Slip Treatment is a transparent anti slip flooring solution, which has a very low odour. It can be applied to a variety of surfaces, both internal and external, radically improving the slip resistance of the floor when wet.


### Why use SafeGrip?

- Wet floor surfaces are a serious risk to health and safety
- Can be used on various surfaces
- Has long lasting effects and does not require maintenance.

The solution to the problem of dangerous slippery wet floors!

Wet surfaces are a serious risk to health and safety. The consequences of a slip and fall accident can be disastrous. The solution is Safe Grip Anti-slip Treatment. Safe Grip is not a coating that will wear off, it doesn't require time to cure and can be applied during operational hours – even in areas with high foot traffic such as retail stores, hotels, and public places. It is suitable for hard floorings such as ceramic, terrazzo, quarry tile, granite, most marble, concrete, slate, porcelain, and many more






## Mineral Tile Anti Slip - Marble / Travertine / Granite

This is a completely eco friendly solution which in most cases will not change or damage the aesthetics of a floor.

Proven Durability is **GUARANTEED** as this anti-slip treatment will last for many years subject to a suitable cleaning regime. 4Earth Anti Slip Mineral Tile is guaranteed for 5 years.

For use with - Ceramic Tiles, Terrazzo, Quarry Tile, Slate, Granite, Polished Stone, Travertine and most Marbles

4Earth Anti Slip IS NOT A COATING it is a treatment that is simply washed onto the surface and washed back off again. As soon as the floor is dry it is able to be walked on!



### **NOTE**

*1 Litre can cover  
between 4 and 8 sq  
mts depending on  
the tile porosity.*



# Water based floor impregnator sealer

Gum Stopper is an environmentally friendly non-toxic chewing gum repellent for commercial use on highly trafficked floors and walls.

## Benefits:

Years of protection from our Solvent & Silicone free product against-Chewing gum, Water, Oil, Moss, Carbon particulates, Dirt, Bird droppings...and with added stain protection too!

Gum Stopper is almost invisible when dry. It is also: water & oil repellent, stain resistant, abrasion resistant, non-hazardous, non-toxic, non-flammable, water based, environmentally friendly, non-staining, non-yellowing.

- Especially suited to high pedestrian traffic areas such as transport terminals
- Easy to apply- just a brush or roller onto a contamination free surface
- Coverage - 8 - 10m<sup>2</sup> per litre

## Protection from

- Chewing gum
- Water
- Oil and Grease
- Moss
- Carbon particulates
- Acid rain
- Dirt
- Bird droppings

- Including stain protection too!

## Applied on

- Marble
- Limestone
- Terracotta
- Roof Tiles
- Concrete
- Brick
- Block Paving
- Sandstone
- Granite
- Tarmac
- Pavements
- Car Parks



# Super Seal - Ideal for a variety of floors

Flooring Sealer with Anti Slip  
A Strong bonding sealer, able to make many tiling and flooring options slip and skid resistant.

## Why Use Super Seal?

- Water Resistant
- UV Resistant
- 36+ PTV in Wet Conditions
- Easily Cleaned & Maintained
- Where can this product be applied?
- Polished Porcelain
- Granite
- Polished Concrete
- Marble





# Sealer for concrete

## Anti Slip Surface Treatment

The best anti slip treatment you could use for stone flooring, easy to clean and maintain with a smooth clean finish.

## Why Use the HD Antislip Sealer?

- Good for use on all interior and exterior stone surfaces
- Extremely durable
- Easy to apply
- Clear Finish with anti slip microbead
- Easy to clean and maintain
- protects floors for longer
- Hardens & seals concrete permanently
- Non-yellowing
- Tough, Durable and Hard Wearing
- Designed for use with PICSPACE to bring out and enhance the full depth of colour of the CSH (Colour Surface hardener) and RA (Release Agent).
- Slip Resistant
- Petrol, Diesel, Oil & Grease resistant

## Application instructions

The slab must be fully surface dry after washing off (Protimeter 4.5 and below) and all traces of RA (Release Agent) removed by pressure washing and RAW (Release Agent Wash). Brush slab to remove any dirt or debris.

Control joints must be cut prior to HSS application. HSS must be spray applied using a pressure spray unit equipped with VITON™ seals and solvent resistant hose and body. Apply in two equal applications, keeping sprayer head moving to avoid pooling. The first application must be brushed into the surface and allowed to dry past tacky prior to applying the second coat.

Avoid application in strong, direct sunlight – do not apply if rain is likely within 3 hours of application.



### Approximate coverage

4 to 6m<sup>2</sup> per litre per application  
- Two applications required





## Seamless Wall Coating

The coating will provide a textured gloss finish incorporating an anti-slip aggregate which is pre-dispersed within the material, making it appropriate for both floors and walls.


Can be applied by a roller or paint brush, the product is a low odour producing, seamless, hard wearing, hygienic floor finish and domestic safety.

### Why should you choose this paint

- UV stable.
- Solvent-free.
- Silica free.
- Superb adhesion.
- Hard wearing.
- Hygienic and easily cleaned.
- Seamless Glass texture

### Where can this product be applied?

- Food production environments.
- Pharmaceutical areas.
- Hospitals.
- Prisons.
- Police Cells.
- Factory units.
- Warehouses.





**ADVANCED  
SAFETY**  
SOLUTIONS

39, Efesu Street.  
St. Paul's Bay SPB2702  
Mob: +356 9999 0247  
Email: [info@advancedsafety.com.mt](mailto:info@advancedsafety.com.mt)

**[advancedsafety.com.mt](http://advancedsafety.com.mt)**